



The quality option

PRESSURE EQUIPMENT DIRECTIVE 2014/68/EU

CERTIFICATE OF AUTHORISATION

Awarded to: **GLOBAL SUPPLY LINE PTY LTD**

JC Fábrica de Válvulas S.A. certify that **Global Supply Line Pty Ltd** has put in place the resources and Quality System required by JC and described on Contract-Authorisation nº **JC-07-003** to meet the requirements of the above European Directive.

Global Supply Line Pty Ltd is hereby authorised to:

- Replacement of interior parts in order to change the materials of the seats, seals and packing of JC Ball Valves. The new parts incorporated must be JC original parts.
- Incorporation of accessories (EC marked and certified by the respective manufacturers) such as pneumatic or electrical actuators, position indicators, stem extensions, etc.
- Changes to the EC nameplates, edited by JC.
- Others by agreement, according to plans approved by JC.

Original authorisation date: 28-02-2013

Subject to the accomplishment of Annex I: Overall Conditions of said Contract-Authorisation.

This Authorisation is valid for a period of **three years**, until **03-07-2028**

Date: 03-07-2025

JC Fábrica de Válvulas, S.A.U.


JC Fábrica de Válvulas, S.A.U.
Av. Segle XXI, 75, - Pol. Ind. Can Calderon
08830 Sant Boi de Llobregat
Barcelona
Tel. +34 936 548 686
Fax +34 936 548 687



CONTRACT – AUTHORISATION FOR THE MANIPULATION OF JC VALVES COVERED BY EC REGULATIONS

FORM I.1 – CONTRACT - AUTHORISATION

AUTHORISATION Nº JC-07-003

This contract, dated 03-07-2025, is drawn up between JC Fábrica de Válvulas S.A. (henceforth JC), with company seat at Av. Segle XXI, 75 – Pol. Ind. Can Calderon, 08830 Sant Boi de Llobregat (Barcelona) Spain, and the customer thereof (henceforth the Customer)

Global Supply Line Pty Ltd, with registered seat at **1-15 Barndioota Road, Salisbury Plain, South Australia 5109, Australia**

Whereas JC is the owner of all of the rights to JC trademark valves.

Whereas the Customer wishes to have a non-exclusive authorisation by JC, for the manipulation and modification of JC valves, within the limits stated in this present contract.

Both of the parties hereto agree, as follows:

- 1.- That by means of this present contract JC grants to the Customer a non-exclusive authorisation to manipulate and modify JC ball valves on the Customer's own premises, subject to the following limitations:
 - 1.1.- That the modifications for which the Customer has authorisation will not introduce any changes to the parts that constitute the pressure barrier of the valve, its capacity, the design work and safety conditions must remain essentially the same. These modifications are not covered by PED and are not considered important in Guideline A-04).
 - 1.2.- These modifications will be limited to:
 - Replacement of interior parts in order to change the materials of the seats, seals and packings. The new parts incorporated must be JC original parts.
 - Incorporation of accessories (EU marked and certified by the respective manufacturers) such as pneumatic or electrical actuators, position indicators, stem extensions. etc.
 - Changes to the EU nameplates, edited by JC.
 - Others as listed below, according to plans approved by JC:
 - **Changing end connections**
 - **Machining end connections to Butt weld, RF, RTJ, Graylok**
 - 1.3.- Once such modifications have been made, having complied with points 2.2.1 to 2.2.5, if applicable, JC will issue and forward to the distributor, a revision of the original EC Certificate, introducing the changes that have been made, along with a new EC nameplate.

The quality option

2.- The Customer undertakes to:

2.1.- Strictly acknowledge and accept the conditions contained in the document "Annex I. Overall Conditions".

2.2.- To comply with the following requirements:

2.2.1.- To dispose, on his premises, of an ISO 9001 Quality System, or equivalent, certified and in force.

- Attached Certificate No. 10614757 (see attached)

2.2.2.- To dispose of sufficient means to repeat, after the modifications have been made, the manufacturing tests carried out at JC

- Description of test bench DORY Hydraulic Valve Test Bench, Model No: YFJ-B300CJWZ-300 (see attached)

(A complete report of the bench used is required, pictures, maintenance and calibration control, etc.)

2.2.3.- To follow the practice of the JC procedural tests, no. PS07/I1, latest revision.

2.2.4.- To fill in, for each modified valve, a register entry signed by the Head of Quality, indicating: Valve Identification No., the changes made, the tests carried out and the test results. This registers should be kept by customer for at least 10 years.

2.2.5.- To send a copy of this register entry to JC, who will then file it with the Quality Control Department, to be audited by the Notified Body.

2.2.6.- To go ahead with the sending of the valve and its new EU documents to the final user.

Accepted by the Customer

Date **03-07-2025**

Customer (Company Name) **Global Supply Line Pty Ltd**

Authorized signature and company stamp:

Signatory's job **Managing Director (Brian Thompson)**

Accepted by JC Fábrica de Válvulas, S.A.U.

Date **03-07-2025**

Authorized signature:



JC Fábrica de Válvulas, S.A.U.
Av. Segle XXI, 75, - Pol. Ind. Can Calderon
08830 Sant Boi de Llobregat
Barcelona
Tel. +34 936 548 686
Fax.+34 936 548 687

Signatory's job **Factory Director (Alfredo Arroyo)**